

Form – IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)	:	Dr. Srikanta Kumar Satapathy
	(ii) Name of HCF or CBMWTF	:	HCF
	(iii) Address for Correspondence	:	Community Health Center, Borigumma
	(iv) Address of Facility	:	Community Health Center, Borigumma, Krf
	(v) Tel. No, Fax. No	:	9439996714
	(vi) E-mail ID	:	nhmborigumma2023@gmail.com
	(vii) URL of Website	:	CHCBorigumma.com
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: 12201/SPCB/Authorization(Bio medical waste) 16/11/2019-100D-1X. Valid upto: 31-03-2026
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto: 60-921 31/03/2026
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 16
	(ii) Non-bedded hospital	:	
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	
3	Details of CBMWTF	:	
	(i) Number of health care facilities covered by CBMWTF	:	
	(ii) No. of Beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	_____ Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	_____ Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 81 kg (monthly) Red Category: 56 kg (monthly) White: 6 kg Blue Category: 71 kg (monthly) General Solid Waste: 290 kg (monthly)
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility	:	
	(i) Details of the on-site storage	:	Size:

facility	(ii) Disposal facilities	Capacity: Provision of on-site storage : (Cold storage or any other provision)			
		Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum
		Incinerators	0		
		Plasma Pyrolysis	0		
		Autoclaves	1		
		Microwave	0		
		Hydroclave	0		
		Shredder	1		
		Needle tip cutter or destroyer	18		
		Sharps			
		Encapsulation or concrete pit			
		Deep burial pits	1		
		Chemical disinfection:			
		Any other treatment equipment:			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	Red Category (like plastic, glass, etc.) 685 Kg			
	(iv) No. of Vehicles used for collection and transportation of biomedical waste	1 No. For CHC			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	Incineration	Quantity Generated	Where disposed	
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Ash			
	(vii) List of member HCF not handed over bio-medical waste.	ETP Sludge			
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes, Attached with his report			

7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management	2	
	(ii) Number of personnel trained	42	
	(iii) Number of personnel trained at the time of induction	38	
	(iv) Number of personnel not undergone any training so far	-	
	(v) Whether standard manual for training is available?	yes	
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		
	(ii) Number of persons affected		
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details		
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		not applicable
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		yes, nil
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from 01.01.2025 to 31.12.2025

.....
.....
.....
.....

(Mr. Suresh K. Satepally)

Name and Signature of the Head of the Institution

**Medical Officer Incharge
CHC, Borigumma**

Date: 12/01/2026

Place: CHC, Borigumma